



K G VOST PTY LTD

MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

CONTENTS

ITEM	PAGE NO.	ITEM	PAGE NO.
A			
Anaesthetic Equipment Trolley	7, 8	Double Soiled Linen Trolley	20
Arm Table	9	Drawer Dividers	5, 32
B		Dressing Tables & Trolleys	4, 5, 32
Bags - Linen	20	Drip Stand	11
Bags - Plastic	13	Drug Safe	22
Bariatric Toilet / Shower Chair	30	Drug Trolleys	22
Basin Holders	10	Drying Trolley	14, 15
Basin Rack	27	E	
Basin Stands	10	Emergency Trolleys	5, 7, 8
Basins	10	Enclosed Storage Trolleys	8, 14
Basket Trolleys	15, 16	ENT Trolley	7, 8
Bassinet	24	Equipment Trolleys	5, 7, 8
Bed Cradle	25	Examination Couches	33
Bedpan and Bottle Racks	27	Examination Lights	32
Bed Screen	24	Examination Trolley	33
Bin Trolley	12, 13, 14, 16, 26	F	
Bottle (Urinal) Racks	27	Flow Chart Holder	23
Bowl Stands and Bowls	10	Flow Chart Table	23
Bucket and Lid	10	Folding Privacy Screen	24
Bucket Kickabout	10	Food Service Tray	34
Bucket Stand	10	Food Service Trolleys	21, 24, 34, 35, 36
Buffers	39	Foot Pedal Linen Trolleys	20
C		Footsteps	10, 33, 37
Castors	39	G	
Casualty Trolley	13, 26	Garbage Bag Holders	13
Catering Equipment	14, 17, 21, 34 to 37	Garment Rack	18, 19
Change Trolley	26	Gastronorm Racks	36
Chart Holder - clipboard type	23	General Equipment Trolleys	4 to 8
Chart Holder - pocket type	23	General Purpose Trolleys	4, 21
Chart Trolley	23	Gown Trolleys	4, 18
Chart Trolley (for lever arch files)	12	H	
Clean Linen Trolleys	14, 18, 19	Height Adjustable Tables	5, 9, 25
Cleaning Trolley	26	I	
Clearing Trolleys	35	Instrument Return Trolley	12, 21
Collection Trolleys	17, 18	Instrument Tables	4, 5, 9
Computer Station	28	Instrument Trolleys	4, 5, 8
Concealment Trolley	38	Intensive Care Trolleys	7, 8
Container - Mobile	16, 19	Intravenous Trolleys	5, 7
Cooling Rack	14, 15, 36	IV Stands	11, 31
Cooling Table	15	K	
Couch - Examination	33	Kitchen Tables	37
Crutch / Utility Rack	31	Kitchen Trolleys	16, 17, 21, 34 to 37
CSSD Tables	37	L	
CSSD Trolleys	8, 12 to 15, 16, 18	Laundry Tables	37
Cutlery Dispenser	36	Laundry Trolleys	16, 19
Cutlery Trolley	36	Lead Apron Rack & Stand	29
Cylinder Carrier	10	Lights - Examination	32
Cylinder Storage Trolley	11	Linen Bags	20
Cylinder Trolleys	11	Linen Skips	20
D		Leg Support (for V140&V143 chairs)	31
Delivery Trolley	13 to 19		
Dolly Trolley	16		
Double Bowl Stands	10		
Double Footsteps	10		



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

ITEM	PAGE NO.	ITEM	PAGE NO.
Linen Trolley - Clean	14, 18, 21	S	
Linen Trolley - Soiled	12, 20	Service Tray	34
Lithotomy Table	9	Service Trolleys	24, 34, 35, 36
Low Loading Trolley	17	Sharps Trolley	31
M		Shelf	37
Machine Stand/Table	37	Shelving - mobile	14
Magnifier Light	32	Shoe Rack	31
Massage Table	33	Shower / Toilet Chairs	30
Mayo Instrument Table	9, 32	Sign Holder	23
Medical Records Trolley	29	Soaking Tub	26
Medical Trolleys	4, 29, 32	Soiled Goods Return Trolley	12, 16
Medication Trolley	22	Soiled Linen Bags	20
Medicine Trolley	22	Soiled Linen Trolleys	20
Minor Surgery Light	32	Steps	10, 33
Mobile Bassinet	24	Sterile Stock Trolley	12, 14, 15
Mobile Bin Rack	12	Sterile Wrap Rack	15
Mobile Containers	16, 19, 26	Stools	10
Mobile Stool	10	Storage Trolley	12, 13, 14
Mobile Storage Rack	36	Stores Trolleys	17, 18, 19
Mobile Tables	37	Supply Trolleys	14, 15, 18
Monitor Trolleys	28	Surgery Dressing Trolley	32
Mortuary Tray & Trolley	38	T	
Multipot	36	Tables, CSSD	37
Multipot Trolley	36	Tables, Dressing & Instrument	4, 9, 32
Multipurpose Trolleys	16, 17, 21, 24	Tables, Kitchen	37
N		Tables, Laundry	37
Name Card Holder	23	Theatre Stands	10, 11
Nappy Bins	13	Theatre Trolleys	4 to 12
Notebook Trolley	28	Toilet / Shower Chairs	30
O		Transfusion Stand	11
Open Waste Bag Trolley	12	Transfusion Trolley	5, 7
Options and Accessories	6, 39	Transport Trolley (Patients)	38
Overbed Tables	25	Tray Clearing Trolley	34, 35
Overhead Instrument Table	5	Tray, Food Service	34
Oxygen Bottle Carrier	11	Traymobiles	21
Oxygen Bottle Trolleys	11	Tray Service Trolleys	34
P		Tuck-up Trolley	26
Pan and Bottle Racks	27	U	
Patients Record Charts	23	Unit Dosage Drug Trolley	22
Patients Trolleys	28	Urinal Bottle Carrier	30
Perineal Table	9	Urinal Rack	27
Plaster Trolley	26	Utility Rack	31
Platform	37	Utility Trolley	12, 16, 26
Platform Trolley	17	Utility Wall Shelf	27
Plinths	33	W	
Pool / Shower Chair	30	Ward Equipment	4.5.11 to 36
Privacy Screen	24	Ward Trolleys	4.5.11 to 36
Procedure Trolley	4, 5, 7, 8, 9, 13	Waste Bag Holders	13
R		Waste Bag Trolleys	12, 13
Resuscitation Trolleys	8	Waste Bags	13
Rubbish Bag Holders	12, 13	Wet Linen Trolley	19, 26
		X	
		X-Ray Apron Rack & Stand	29
		X-Ray Envelope Trolley	29



V18 INSTRUMENT TABLE

Stainless steel construction. 47cm clearance between shelves.
10cm diameter chrome plated castors.

Available in the following nominal sizes:

V18.050 50 x 50 x 90cm high

V18.060 60 x 50 x 90cm high

V18.075 75 x 50 x 90cm high

V18.090 90 x 50 x 90cm high

V18.105 105 x 50 x 90cm high

V18.120 120 x 60 x 90cm high



V21 DRESSING TROLLEY

Stainless steel construction. 12cm high drawer.
34cm clearance between bottom of drawer and lower shelf.
10cm diameter chrome plated castors.

Available in the following nominal sizes:

V21.050 50 x 50 x 90cm high

V21.060 60 x 50 x 90cm high



V14 INSTRUMENT TABLE

Stainless steel construction.
10cm diameter chrome plated castors.

Available in the following nominal sizes:

V14.050 50 x 50 x 90cm high

V14.060 60 x 50 x 90cm high

V14.075 75 x 50 x 90cm high

V14.090 90 x 50 x 90cm high

V14.105 105 x 50 x 90cm high

V14.120 120 x 60 x 90cm high



V16 INSTRUMENT TABLE

Stainless steel construction. 47cm clearance between shelves.
10cm diameter chrome plated castors.

Available in the following nominal sizes:

V16.050 50 x 50 x 90cm high

V16.060 60 x 50 x 90cm high

V16.075 75 x 50 x 90cm high

V16.090 90 x 50 x 90cm high

V16.105 105 x 50 x 90cm high

V16.120 120 x 60 x 90cm high



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V43 DRESSING TROLLEY

Stainless steel construction. Two 12cm high drawers. 34cm clearance between bottom of drawers and lower shelf. 10cm diameter chrome plated castors.

Available in the following nominal sizes:

V43.075 75 x 50 x 90cm high

V43.090 90 x 50 x 90cm high



V22 EQUIPMENT TROLLEY

Stainless steel construction. Two 12cm high drawers. 41cm clearance between bottom of drawer and lower shelf. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V22.060 60 x 50 x 90cm high

V22.075 75 x 50 x 90cm high

V22.090 90 x 50 x 90cm high

V800 DRAWER DIVIDERS

To suit Vost trolleys. Dividers are light grey powder coated.

When ordering please quote the catalogue number of the Vost trolley and the height of drawer.



V12 INSTRUMENT TABLES, nest of three tables (Tables also available separately)

Stainless steel construction. A genuine space saver. 7.5cm diameter chrome plated castors.

V12.082 82 x 49 x 84cm high

V12.094 94 x 51 x 88cm high

V12.106 106 x 53 x 92cm high



V80 INSTRUMENT TABLE

Stainless steel construction. Very rigid.

To fit over operating tables, etc.

Telescopic height adjustment from 90 to 150cm.

10cm diameter chrome plated castors,

two castors fitted with brakes.

Top dimensions: 106 x 51cm

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au



V825 BUCKET CARRIER

Stainless steel construction. The carrier can be easily attached to any Vost trolley with standard rails - no tools required. Supplied complete with one **V83** stainless steel bucket.




V820 BOWL CARRIER

Stainless steel construction. The carrier can be easily attached to any Vost trolley with standard rails - no tools required. Supplied complete with one **V87. 30** stainless steel bowl.




V830 TRAY CARRIER

Stainless steel construction. The carrier can be easily attached to any Vost trolley with standard rails - no tools required. Supplied with one 44cm x 31cm x 5cm white polypropylene tray.



V855 LOCK (factory fitted option)

The lock can be fitted to a top drawer of any Vost trolley.



V840 TRANSFUSION POLE

Stainless steel construction. The pole can be easily attached to any Vost trolley with 25.4mm (1") **round legs** - no drilling of holes required. The pole is height adjustable and has two safe hooks.

V845 TRANSFUSION POLE

Stainless steel construction. The pole can be easily attached to any Vost trolley with 25.4mm x 25.4mm (1"x 1") **square legs** - no drilling of holes required. The pole is height adjustable and has two safe hooks.



V860 SIDE FLAP 44 x 36cm (factory fitted option)

The side flap can be fitted to most Vost trolleys.



V850 PANEL AND BINS

The light grey powder coated panel can be easily attached to any Vost trolley with standard rails - no tools required. Supplied complete with nine 15cm wide x 23cm deep x 12cm high polypropylene bins.



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V23 EQUIPMENT TROLLEY

Stainless steel construction. Three 12.5cm high drawers. 28cm clearance between bottom drawer and lower shelf. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V23.060 60 x 50 x 90cm high

V23.075 75 x 50 x 90cm high

V23.090 90 x 50 x 90cm high



V24 EQUIPMENT TROLLEY

Stainless steel construction. Four drawers, three 12.5cm high and one 25cm high.

12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V24.060 60 x 50 x 90cm high

V24.075 75 x 50 x 90cm high

V24.090 90 x 50 x 90cm high

See page 5 for V800 Drawer Dividers



V25 EQUIPMENT TROLLEY

Stainless steel construction. Five 12.5cm high drawers. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V25.060 60 x 50 x 90cm high

V25.075 75 x 50 x 90cm high

V25.090 90 x 50 x 90cm high



V28 INTENSIVE CARE TROLLEY

Stainless steel construction. Crevice free recessed top shelf. Handles at both sides of trolley. Four 12.5cm high drawers and one 30cm high drawer.

12.5cm diameter chrome plated castors.

Nominal trolley dimensions: 91 x 51 x 103cm high



V44 RESUSCITATION TROLLEY

Stainless steel construction. "C" size cylinder carrier.
Fold down extension table, 44 x 36cm.
Three drawers 70 x 46 x 12.5cm high.
32cm clearance between bottom of drawer and lower shelf.
12.5cm diameter chrome plated castors.
Nominal dimensions: 75 x 50 x 90cm high



V30 INSTRUMENT TROLLEY

Stainless steel construction. Fully enclosed, doors can open 270 degrees and swing neatly against side of trolley.
Ideal for storage and supply of sterile stock.
Push handle at left side of trolley. Full buffer surround as well as revolving buffers at corners.
16cm diameter zinc plated castors, 2 fixed and 2 swivel.
Nominal dimensions: 90 x 60 x 90cm high



V40.08 ANAESTHETIC EQUIPMENT TROLLEY

Stainless steel construction. Six drawers 54 x 46cm, 1st 7.5cm high, 2nd & 3rd 15cm high, 4th 7.5cm high, 5th & 6th 10cm high.
Six bins 15 x 12 x 18cm high with removable clear compartments.
Side bins 40 x 27 x 16cm high.
12.5cm diameter chrome plated castors.
Nominal dimensions: 90 x 50 x 94cm high

V800 DRAWER DIVIDERS

To suit Vost trolleys. Dividers are light grey powder coated.
When ordering please quote the catalogue number of the Vost trolley and the height of drawer.



V40 ANAESTHETIC EQUIPMENT TROLLEY

Stainless steel construction. Six drawers 54 x 46cm, 1st drawer 7.5cm high, 2nd and 3rd drawers 15cm high, 4th drawer 7.5cm high, 5th and 6th drawers 10cm high.
Top shelf 89 x 49cm. Side shelves 29 x 48cm.
12.5cm diameter chrome plated castors.
Nominal dimensions: 90 x 50 x 90cm high



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V68 INSTRUMENT TABLE

Stainless steel construction.
Adjustable height range: 72 to 117cm
Removable tray, 56 x 41 x 2cm deep.
5cm diameter castors with twin wheels.



V70 MAYO INSTRUMENT TABLE

Stainless steel construction.
Telescopic height adjustment from 95 to 140cm.
Removable tray, 56 x 41 x 2cm deep.
10cm diameter chrome plated castors.



V78 LITHOTOMY TABLE

Stainless steel construction.
Telescopic height adjustment from 74 to 118cm.
Raised edges on three sides of top.
12.5cm diameter chrome plated castors, two fitted with brakes.
Top dimensions: 75 x 40cm



V82 ARM TABLE


Stainless steel legs and frame.
X-ray translucent aluminium top.
Telescopic height adjustment from 74 to 118cm.
12.5cm diameter chrome plated castors, two fitted with brakes.
Top dimensions: 76 x 44cm

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au

**V88 BOWL STAND**

(Illustrated with optional V87 Bowl)
Stainless steel stem and bowl carrier.
Reinforced nylon base.
5cm diameter twin wheel castors.
Available in the following two sizes:
V88.30 to hold one 30cm bowl
V88.35 to hold one 35cm bowl

**V87 BOWL**

Stainless steel.
Available in the following two sizes:
V87.30 30cm diameter
10cm deep
V87.35 35cm diameter
12cm deep

**V90 DOUBLE BOWL STAND**

(Illustrated with optional V87 Bowls)
Stainless steel stem and bowl carriers.
Reinforced nylon base.
5cm diameter twin wheel castors.
Available in the following two sizes:
V90.30 to hold two 30cm bowls
V90.35 to hold two 35cm bowls

**V86 BUCKET STAND**

(Illustrated with optional V83 bucket)
Stainless steel stem and bucket carrier.
Reinforced nylon base. 60cm high.
5cm diameter twin wheel castors.

**V99 MOBILE STOOL**

Soft polyurethane seat, gas lift height adjustable from 46cm to 65cm. Five legged reinforced nylon base with 5cm diameter twin wheel castors.

V98 STOOL, as above, but fitted with glides in lieu of castors.



V83 BUCKET, stainless steel.
12 litre capacity. Litre graduations.

V85 BUCKET LID (not illustrated)
Stainless steel. To suit V83 Bucket

**V84 BUCKET KICKABOUT**

(Illustrated with optional V83 bucket)
Stainless steel.
7.5cm diameter chrome plated castors.

**V106 FOOTSTEP**

Stainless steel frame with aluminium tread plate top.
Available in the following sizes:
V106.45 45 x 31 x 25cm high.
V106.75 75 x 31 x 25cm high.

**V108 DOUBLE FOOTSTEP**

Stainless steel frame with 44 x 26cm aluminium tread plate tops.
Each step 20cm high.
Dimensions: 45 x 52 x 40cm high

**V120W CYLINDER HOLDER**


Stainless steel.
Wall fixing type.
Holds 'C' size cylinder.

**V120 CYLINDER CARRIER**


Stainless steel.
Hang-on type.
Holds 'C' size cylinder.
(Cylinder not included)




MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V95 TRANSFUSION STAND**

Stainless steel stem and **two prong pole**.
Weighted, reinforced nylon base.
5cm diameter twin wheel castors.
Height adjustable from 147 to 260cm.

**V95.4 TRANSFUSION STAND**

Stainless steel stem and **four prong pole**.
Weighted, reinforced nylon base.
5cm diameter twin wheel castors.
Height adjustable from 147 to 260cm.

**V94 TRANSFUSION STAND**

Stainless steel construction.
Two prong pole. Weighted base.
5cm diameter twin wheel castors.
Height adjustable from 147 to 260cm

**V122 CYLINDER TROLLEY**

Stainless steel construction.
Holds 'D' and 'E' size cylinders.
16cm diameter wheels.
Dimensions: 37 x 32 x 110cm high

**V119 CYLINDER TROLLEY**

(Cylinder not included)
Stainless steel construction.
Holds one 'C' size cylinder.
Easy to wheel. 16cm diameter wheels.
Dimensions: 32 x 32 x 98cm high

**V121 CYLINDER STORAGE TROLLEY**

(Cylinder not included)
Stainless steel construction.
Holds 12 'C' size cylinders.
12.5cm diameter chrome plated castors.
Overall dimensions: 60 x 50 x 95cm high

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au



V311L UTILITY TROLLEY

(Instrument Return Trolley)

Stainless steel construction. Push handle. Compact design. Trolley supplied complete with two red 64 x 41 x 21cm deep polyethylene containers and white lids. Revolving buffers. 12.5cm diameter chrome plated castors. Overall dimensions: 82 x 49 x 91cm high



V384 MOBILE BIN RACK

Stainless steel construction. Supplied complete with four 64 x 41 x 21cm deep polyethylene containers and white lids. Revolving buffers. 12.5cm diameter chrome plated castors. Overall dimensions: 71 x 43 x 122cm high



V282 OPEN WASTE BAG TROLLEY

Stainless steel construction. Stretch-over bag design to hold 82cm wide plastic bags. Solid platform to support bag. Ideal for operating theatre use. 5cm diameter twin wheel castors. Overall dimensions: 50 x 38 x 84cm high

V294Y.82 YELLOW CLINICAL WASTE BAGS

82cm wide x 90cm long, 35micron thick. 200 bags per pack.

V282.55 OPEN WASTE BAG TROLLEY

As above illustration, but to hold 55cm wide plastic bags.

V294Y YELLOW CLINICAL WASTE BAGS

55cm wide x 99cm long, 75micron thick. 200 bags per pack.



V160.3 LEVER ARCH FILE TROLLEY

Stainless steel construction.

Twelve 8cm wide individual drop-in compartments for standard 'A4' files.

12.5cm diameter chrome plated castors. Revolving buffers.

Overall dimensions: 80 x 63 x 100 cm high





V286 WASTE BAG TROLLEY

Stainless steel construction. Stretch-over bag design holds standard 55cm wide plastic bags. Solid platform to support bag. Low noise level, foot pedal operated ABS plastic lid. 5cm diameter twin wheel castors. Overall dimensions: 41 x 37 x 84cm high

V294B BLUE PLASTIC WASTE BAGS

200 bags per carton. 55cm wide x 99cm long, 75 micron thick.

V294S SEMI-OPAQUE PLASTIC WASTE BAGS

400 bags per carton. 55cm wide x 99cm long, 38 micron thick.

V294Y YELLOW PLASTIC WASTE BAGS

200 bags per carton. 55cm wide x 99cm long, 75 micron thick.

(The above three bags suit V54, V128, V282.55 and V286 trolleys.)



V276 WASTE BAG HOLDER (V21 trolley not included)

Stainless steel construction. Hang-on type, Stretch-over bag design, holds 43cm wide plastic bags. Dimensions: 33 x 18 x 30cm high

V274Y YELLOW PLASTIC WASTE BAGS

1500 bags per carton, to suit V276 Waste Bag Holder. Bag dimensions: 43cm wide x 44cm long, 20 micron thick.



V49 CASUALTY / EMERGENCY TROLLEY

The big capacity trolley. Stainless steel construction including drawers and the 30 x 30cm adjustable shelf. Powder coated louvered panels. Eighteen 23 x 15 x 12cm high polypropylene bins. 12.5cm diameter chrome plated castors. Nominal trolley dimensions: 105 x 50 x 90cm high Overall dimensions: 142 x 54 x 141cm high



V385 SUPPLY TROLLEY

Stainless steel construction. Ideal for distribution of goods. Complete with six polypropylene bins; 46 x 32 x 16cm high. 12.5cm diameter chrome plated castors. Revolving buffers fitted above castors. Nominal trolley dimensions: 73 x 50 x 92cm high Overall dimensions: 82 x 59 x 101cm high

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au

**V618 BIN TROLLEY**

Stainless steel frame. Powder coated steel panels front and back. 12.5cm diameter chrome plated castors.
Dimensions: 53 x 50 x 158cm high

**V645 STORAGE / DRYING TROLLEY**

Stainless steel construction.
Five removable stainless steel racks; 65 x 53cm.
24cm clearance between racks.
12.5cm diameter chrome plated castors.
Nominal dimensions: 72 x 55 x 143cm high

**V31 SUPPLY AND STORAGE TROLLEY**

Stainless steel construction. Lockable doors open 270 degrees and swing neatly against the sides of the trolley. All handles are recessed. Two internal shelves. Buffers fitted at base.
20cm diameter zinc plated castors, two fixed and two swivel.
Overall dimensions: 100 x 72 x 143cm

**V604 SUPPLY / LINEN TROLLEY**

Stainless steel construction. Four shelves with vertical guard at both ends. Buffer fitted around base of trolley.
29cm clearance between shelves. Shelf size: 103 x 56cm.
20cm diameter zinc plated castors, two fixed and two swivel.
Overall dimensions: 115 x 67 x 140cm high



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V75 BASKET TROLLEY**

Stainless steel construction. Two recessed shelves. Handles at both ends. Supplied complete with two white powder coated baskets, 82 x 42 x 15cm high. Clearance between shelves is 40cm. Revolving buffers. 12.5cm diameter chrome plated castors. Overall dimensions: 98 x 56 x 100cm high

**V77 SUPPLY TROLLEY**

Stainless steel construction. Two recessed shelves. Handles at both ends. Supplied complete with six 44 x 30 x 22cm high plastic carry baskets. Clearance between shelves is 40cm. Revolving buffers. 12.5cm diameter chrome plated castors, two castors have steering locks. Overall dimensions: 105 x 49 x 100cm high

**V73 COOLING TABLE**

Stainless steel construction. Three mesh shelves. Clearance between shelves is 34cm. 12.5cm diameter chrome plated castors. Overall dimensions: 120 x 60 x 120cm high

**V103 STERILE WRAP RACK**

Stainless steel construction. Bars will hold sterile wraps up to 183 x 137cm. Four 12.5cm diameter chrome plated castors, two fitted with brakes. Revolving buffers fitted above castors. Overall dimensions: 159 x 69 x 129cm high

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au

**V311 UTILITY TROLLEY**

Stainless steel construction. Push handle. Compact design. Supplied with polyethylene bins, one 64 x 41 x 27cm and one 64 x 41 x 21cm deep. Revolving buffers. 12.5cm diameter chrome plated castors. Overall dimensions: 82 x 49 x 91cm high

P3111 BINS (as illustrated with above V311 trolley)
Blue polyethylene bins, **64 x 41 x 21cm** deep

P3112 BINS (as illustrated with above V311 trolley)
Blue polyethylene bins, **64 x 41 x 27cm** deep

**V628 LAUNDRY BASKET TROLLEY**

Stainless steel construction. 69 x 48 x 39cm deep removable plastic basket. 12.5cm diameter chrome plated castors. Overall dimensions: 79 x 57 x 89cm high

P3114 LIDS (as illustrated with V381 trolley below)
White lids to suit polyethylene bins

**V313 MULTIPURPOSE TROLLEY**

Heavy duty stainless steel construction. Recessed shelves. Supplied complete with four 64 x 41 x 21cm deep polyethylene containers. 20cm diameter zinc plated castors; 2 fixed and 2 swivel. Revolving buffers fitted to corners. Nominal dimensions: 89 x 59 x 74cm high

**V381 DOLLY TROLLEY**

Stainless steel construction. 4cm deep tray locates bins for safety. Supplied complete with three 64 x 41 x 21cm deep polyethylene containers with lids. 12.5cm diameter chrome plated castors. Nominal dimensions: 67 x 43 x 100cm high



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V313.1 MULTIPURPOSE TROLLEY

Heavy duty stainless steel construction.
Two recessed shelves. 40cm clearance between shelves.
20cm diameter zinc plated castors, 2 fixed and 2 swivel.
Revolving buffers.
Nominal dimensions: 89 x 59 x 74cm high



V379 LOW LOADING TROLLEY

Heavy duty stainless steel construction.
20cm diameter zinc plated castors, 2 fixed and 2 swivel.
Revolving buffers.
Platform dimensions: 108 x 67cm



V676 COLLECTION TROLLEY

Heavy duty stainless steel construction.
Designed for the collection of bulky items, i.e. linen bags, rubbish bags etc. Light and easy to manoeuvre.
16cm diameter zinc plated castors; 2 fixed and 2 swivel.
Revolving buffers.
Overall Dimensions: 137 x 70 x 118cm high



V677 SUPPLY / COLLECTION TROLLEY

Heavy duty stainless steel construction.
Designed for the supply /collection of bulky or fragile items.
Light and easy to manoeuvre. Half drop down side.
Six 16cm diameter zinc plated castors, four swivel and two fixed.
Overall dimensions: 137 x 70 x 118cm high



V601 CLEAN LINEN TROLLEY

Three 133 x 54 cm sloping galvanized shelves. Two lower shelves have centre partitions. 34cm clearance between shelves. Three sides enclosed with galvanized mesh. Light grey powder coated finish. Buffer fitted around base. Four 20cm diameter zinc plated castors; two fixed and two swivel. Overall dimensions: 145 x 65 x 140cm high

V611 COVER Made from washable material. Zip-up front. To suit V601 Trolley.



V603 CLEAN LINEN TROLLEY

Stainless steel construction. Three 103 x 56cm shelves with vertical guard at both ends. 33cm clearance between shelves. Four 20cm diameter zinc plated castors, two fixed and two swivel. Buffer fitted around base of trolley. Overall dimensions: 115 x 67 x 140cm high

V605 COVER Made from washable material. Zip-up front. To suit V603 Trolley.



V602 MOBILE GARMENT RACK

Stainless steel construction. Revolving buffers. 12.5cm diameter chrome plated castors. Two castors are fitted with steering locks to facilitate easy manoeuvring of trolley. Overall dimensions: 155 x 60 x 175cm high



V668 GARMENT / LUGGAGE TROLLEY

Stainless steel construction. Revolving buffers. 12.5cm diameter chrome plated castors. Two castors are fitted with steering locks to facilitate easy manoeuvring of trolley. Overall dimensions: 146 x 66 x 180cm high



**V678 MOBILE CONTAINER**

Stainless steel trolley.
Heavy duty polyethylene container.
Suitable for laundries, stores, kitchens etc.
20cm diameter zinc plated castors, 2 fixed and 2 swivel.
Container dimensions: 90 x 60 x 60cm deep
Overall dimensions: 101 x 67 x 89cm high

**V679 MOBILE CONTAINER**

Stainless steel trolley with push handle.
Heavy duty polyethylene container.
Suitable for laundries, stores, kitchens etc.
20cm diameter zinc plated castors, 2 fixed and 2 swivel.
Container dimensions: 90 x 60 x 60cm deep
Overall dimensions: 110 x 67 x 100cm high

**V604 . 24 LAUNDRY DELIVERY TROLLEY**

Stainless steel construction. Four 136 x 56cm recessed shelves.
27cm clearance between shelves. Supplied complete with 24
plastic carry baskets. 20cm plate castors, 2 fixed and 2 swivel.
Overall dimensions: 146 x 66 x 136cm high

**V668 . 6 GARMENT & BASKET TROLLEY**

Stainless steel construction. One 136 x 56cm recessed shelf.
Supplied complete with 6 plastic carry baskets.
12.5cm chrome plated castors, two castors fitted with steering
locks for easy manoeuvring. Revolving buffers at corners.
Overall dimensions: 146 x 66 x 180cm high



V613 LID
Black ABS plastic lid to suit
V612, V614, V612.44 and
V614.44 Soiled Linen
Trolleys.

V612 LINEN BAG TROLLEY

Nominal dimensions: 47 x 44 x 84cm high less steel construction. Solid base to support bag. 10cm diameter chrome plated castors. Revolving buffers. **60cm linen bag space between top of rim and top of base.**

V614 DOUBLE LINEN BAG TROLLEY

Nominal dimensions: 96 x 44 x 84cm high

Stain-



Construction and dimensions of the V612.44 and 614.44 are the same as V612 and V614. To reduce the capacity and weight of full linen bags the bag support base is raised by 16cm on these two trolleys.

V612.44 LINEN BAG TROLLEY

44cm linen bag space between top of rim and top of base.

V614.44 DOUBLE LINEN BAG TROLLEY



V621 LINEN BAG

Bags have shake-out strap and draw cord slide lock. (To suit V35, V54, V128, V286, V612, V614, V612F, V614F, V612.44 and V614.44 trolleys) Available in the following colours:

WHITE

RED

BLUE

GREEN

YELLOW

V612F LINEN BAG TROLLEY

Nominal dimensions: 47 x 44 x 84cm high Stainless steel construction. Solid base to support bag. Foot-pedal operated lid. 10cm diameter chrome plated castors. Revolving buffers. **60cm linen bag space between top of rim and top of base.**

V614F DOUBLE LINEN BAG TROLLEY

Nominal dimensions: 96 x 44 x 84cm high



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V312 MULTIPURPOSE TROLLEY

Welded stainless steel construction. Two recessed shelves with rounded internal corners for easy cleaning. 43cm clearance between shelves. Revolving buffers. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V312.075	75 x 50 x 90cm high
V312.090	90 x 50 x 90cm high
V312.105	105 x 50 x 90cm high



V314 MULTIPURPOSE TROLLEY

Welded stainless steel construction. Three recessed shelves with rounded internal corners for easy cleaning. 28cm clearance between shelves. Revolving buffers. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V314.075	75 x 50 x 90cm high
V314.090	90 x 50 x 90cm high
V314.105	105 x 50 x 90cm high



V322 TRAYMOBILE

Welded stainless steel construction. Two recessed shelves with rounded internal corners for easy cleaning. 46cm clearance between shelves. Guard rails on three sides of both shelves. Revolving buffers. 12.5cm diameter chrome plated castors. Nominal dimensions: 90 x 50 x 90cm high



V323 TRAYMOBILE

Welded stainless steel construction. Three recessed shelves with rounded internal corners for easy cleaning. 28cm clearance between shelves. Guard rails on three sides of all shelves. Revolving buffers. 12.5cm diameter chrome plated castors. Nominal dimensions: 90 x 50 x 90cm high

**V51 MEDICATION TROLLEY**

Stainless steel construction. Adjustable dividers in the top three drawers can be arranged to make up to 54 sections. One 25cm high drawer for bottles etc. Central locking drawers. Fold-down side shelf, 49 x 36cm. Revolving buffers. 12.5cm diameter chrome plated castors. Nominal dimensions: 60 x 50 x 103cm high

**V52 CARD SYSTEMS DRUG TROLLEY**

Stainless steel construction. Top and bottom drawer 25cm high, middle drawer 12cm high. Central locking drawers. Fold-down side shelf, 49 x 36cm. Revolving buffers. 12.5cm diameter chrome plated castors. Nominal dimensions: 60 x 50 x 103cm high

**V50 MEDICINE TROLLEY**

Stainless steel construction. Lockable cabinet, 50 x 50 x 36cm high. Lower tray 50 x 50 x 5cm deep. Handles at both sides. Revolving buffers. 12.5cm diameter chrome plated castors. Nominal dimensions: 50 x 68 x 114cm high

**V53 DRUG SAFE**

Manufactured from 1cm steel plate. Nine lever pick resistant lock. Door hinged on right hand side. (Left hand side hinge on request) Two internal shelves. Finished in silver grey enamel. Available in the following sizes:

V53.1 45.7 x 30.5 x 18.0cm deep. Three adjustable shelves.

V53.2 61.0 x 45.7 x 18.0cm deep. Four adjustable shelves.

* Both models have 4 only 1.2cm bolt holes in back and base.



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V160.24 CHART TROLLEY

Stainless steel construction. Lower storage tray has raised sides and back.

Complete with twenty-four V162 Chart Boards.

12.5cm diameter chrome plated castors.
Overall dimensions: 92 x 63 x 102cm high

V161 LOCKABLE CHART TROLLEY

as V160.24 above but with lockable lids.



V162 CHART BOARD

Holds 'A4' pages, horizontally.
Suits V160 and V161 Trolleys.
Grey powder coated.
Full width name card holder.
2cm capacity ring binder clips.

V162.35 CHART BOARD

as above but fitted with
3.5cm ring binder clips

V163 NAME CARDS

Plain white cards, 30 x 2cm wide
to suit V162 Chart Board.
250 per pack.

V164 HINGED COVER

To suit V162 Chart Board.
10 covers per pack.



V160.12 CHART TROLLEY

Stainless steel construction.
Lower storage tray has raised
sides and back. **Complete with
twelve V162 Chart Boards.**
Dimensions: 63 x 63 x 102cm high

V161.12 CHART TROLLEY

as V160.12 above but with lockable lid.




V182 SIGN HOLDER

(Sign not included)
Stainless steel. Stick-on type.
Holds 20 x 5cm sign.



V167 FLOW CHART HOLDER

'A3' size clip board. Hang-on type.
3mm thick, white, high impact
resistant acrylic.
Dimensions: 45cm wide x 33cm high



V180 CARD HOLDER

(Sign not included)
Stainless steel. Stick-on type.
Holds 10 x 5cm cards.

V181 NAME CARDS

Plain white cardboard, 10 x 5cm
to suit V180 Card Holder.
250 per pack.




V67 FLOW CHART TABLE

Stainless steel frame. Heavy duty construction.
Spring assisted height adjustment. Positive tilt mechanism
with safety locks. Both sides of table are laminated for easy
cleaning. Three clips at top of board. Pen / pencil holder at
bottom of board. Table top dimensions: 87 x 67cm
Height adjustment range: 84 to 138cm



V166 CHART HOLDER

'A4' size clip board.
Hang-on type.
3mm thick, white, high impact
resistant acrylic.



V168 CHART HOLDER

'A4' size pocket 4cm deep.
Hang-on type.
3mm thick, clear, high impact
resistant acrylic.

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au

**V304 SERVICE TROLLEY**

Stainless steel construction. Two shelves with 5cm raised edges on three sides. 44cm clearance between shelves. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V304.061 61 x 45 x 80cm high

V304.090 90 x 50 x 90cm high

**V306 SERVICE TROLLEY**

Stainless steel construction. Three shelves with 5cm raised edges on three sides. 23cm clearance between shelves. 12.5cm diameter chrome plated castors.

Available in the following nominal sizes:

V306.061 61 x 45 x 80cm high

V306.090 90 x 50 x 90cm high

**V137 FOLDING PRIVACY SCREEN**

Stainless steel frame.

Complete with fire-retardant beige curtains.

Three 90cm wide sections. 7.5cm twin wheel castors.

Nominal dimensions: 280cm wide x 167cm high

Folded dimensions: 90 x 50 x 167cm high

**V560 MOBILE BASSINET**

Welded stainless steel construction. Stable design.

Bassinet can be elevated at either head or foot end.

Complete with acrylic bassinet, foam mattress and a pair of polypropylene trays. Revolving buffers.

10cm diameter chrome plated castors.

Overall Dimensions: 83 x 53 x 100cm high

P5602 ACRYLIC BASSINET**P5605 POLYPROPYLENE TRAYS****P5603 FOAM MATTRESS**

MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V132 OVERBED TABLE**

Stainless steel frame. Heavy duty construction. Spring assisted height adjustment. 5cm twin wheel castors.
 Colour of table top: light grey (other colours on application).
 Table top dimensions: 80 x 40cm
 Height adjustment from 70 to 114cm


**V134 OVERBED TABLE**

Stainless steel frame. Heavy duty construction. Tilting mechanism with safety lock for horizontal position. Spring assisted height adjustment. 5cm twin wheel castors.
 Colour of table top: light grey (other colours on application).
 Table top dimensions: 80 x 40cm
 Height adjustment from 70 to 114cm

P131.1 TABLE TOPS, 80 x 40cm. (replacements to suit **V131**, **V132** and **V134** OVERBED TABLES)

**V131 HEIGHT ADJUSTABLE TABLE**

Light grey powder coated base. Spring assisted height adjustment. 5cm twin wheel castors.
 Colour of table top: light grey (other colours on application).
 Table top dimensions: 80 x 40cm
 Height adjustment from 60 to 98cm

**V130 BED CRADLE**

Tubular stainless steel frame. Universal design.
 Dimensions: 67 x 42 x 63cm high

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
 Mt Kuring-gai NSW 2080
 Australia

Tel: 02 9457 9500
 Fax: 02 9457 9550
 Email: sales@vost.com.au
 Web: www.vost.com.au

**V128 CLEANING TROLLEY**

Stainless steel construction. Top and middle tray 41 x 46 x 6cm deep. Recessed lower shelf 90 x 50cm. Stretch-over design waste bag bracket holds standard 55cm wide plastic bags. 12.5cm diameter chrome plated castors. Overall dimensions: 105 x 59 x 105cm high

**V35 PLASTER TROLLEY**

Stainless steel construction. Two 12cm high drawers. 34cm clearance between drawers and lower shelf. Standard waste bag holder with polypropylene base tray. Bowl holder and 35cm diameter bowl. 23cm deep tray, 30cm above working surface. 10cm diameter chrome plated castors. Nominal dimensions: 75 x 50 x 90cm high

See page 13 for plastic waste bags for **V128**, **V35** and **V54** trolleys

**V54 UTILITY / CHANGE TROLLEY**

Stainless steel construction. Three shelves, 72 x 47cm. Soiled linen / waste bag carrier with lid. Holds V294 Waste Bags or V621 Linen Bags. Full panel separates clean linen and soiled linen area. 12.5cm diameter chrome plated castors. Overall dimensions: 115 x 59 x 112cm high

**V390 MOBILE CONTAINER - SOAKING TUB**

Stainless steel trolley. Heavy duty polypropylene 110 litre container with 32mm drain and plug. Temperature suitability of container: -20 C to +100 C. Suitable in kitchens, laundries, stores, etc. Five 10cm diameter chrome plated castors. Container dimensions: 60cm diameter x 44cm high. Nominal dimensions: 64cm diameter x 90cm high

V391 LID to suit V390 Mobile Container



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V57.66 BEDPAN / BOTTLE RACK**



Stainless steel construction. Built-in drip tray.
Holds six standard bedpans and six urinal bottles.
Dimensions: 80 x 57 x 27cm deep

**V57.44 BEDPAN / BOTTLE RACK**


Stainless steel construction. Built-in drip tray.
Holds four standard bedpans and four urinal bottles.
Dimensions: 56 x 57 x 27cm deep

**V57.6 BEDPAN RACK**


Stainless steel construction. Built-in drip tray.
Holds six standard bedpans.
Dimensions: 80 x 39 x 27cm deep

**V57.11 BEDPAN / BOTTLE RACK**

Stainless steel plate and hooks.
Holds one bedpan and one urinal bottle.
(Bedpan and urinal bottle not included)
Dimensions: 43cm wide x 40cm high

**V57.B BASIN RACK** (illustrated with optional basins)

Stainless steel construction. Built-in drip tray. Ideal for draining and storing basins. Holds basins ranging in diameter from 20cm to 35cm. Capacity is up to 40, depending on size and make of basins. Dimensions: 72 x 37 x 33cm deep

**V57.W UTILITY WALL SHELF**

Stainless steel construction.
69 x 33cm tray.
72 x 37cm high backing plate.
Dimensions: 72 x 37 x 33cm deep

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowli Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au

**V470 MATTRESS**

(to suit V408 Trolley)

Fire retardant foam and cover.

Dimensions: 188 x 58 x 8cm thick

V480 STORAGE BASKET

(to suit V408 Trolley)

Powder coated steel mesh.

Fits onto base of V408 Trolley.

V408 PATIENTS TROLLEY

Heavy duty stainless steel construction. Safety side rails, removable head and foot ends, adjustable backrest and transfusion pole. 16cm diameter zinc plated, ball / roller bearing castors. Castors at head end have steering locks, castors at foot end have brakes.

Mattress base dimensions: 190 x 59 x 76cm high. Overall dimensions: 198 x 65 x 110cm high

**V45 COMPUTER STATION**

Stainless steel. Two 61 x 61cm shelves; 26cm deep monitor tray. Slide-out keyboard shelf is 90cm off floor level. 42cm clearance between keyboard shelf and lower shelf. 12.5cm diameter chrome plated castors. Two castors with brakes.

Dimensions: 64 x 64 x 120cm high
(Monitor, keyboard, mouse, pen and paper not included)

**V46 NOTEBOOK TROLLEY**

Stainless steel construction.

60 x 50 x 90cm high shelf.

12.5cm diameter chrome plated castors.

Two castors fitted with brakes.

Overall dimensions: 62 x 52 x 120cm high

(Notebook and mouse not included)



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966




V609 LEAD APRON RACK

Stainless steel construction. Six hangers. Revolving buffers.
12.5cm diameter chrome plated castors.
Overall dimensions: 62 x 60 x 144cm high




V610 LEAD APRON STAND

(Lead apron not included)
Stainless steel tubular frame on reinforced nylon base.
162cm high. 5cm diameter twin-wheel nylon castors.



V623 LEAD APRON RACK

Stainless steel construction.
Three 67cm long arms,
swing to right.



V625 LEAD APRON RACK

Stainless steel construction.
Five 67cm long arms,
swing to right.



V74.07 X-RAY ENVELOPE TROLLEY

Stainless steel construction.
Two 4cm deep trays. Top shelf fitted with envelope rack.
12.5cm diameter chrome plated castors.
Clearance between trays: 30cm
Height from floor to base of top tray: 77cm
Internal dimensions of trays: 61 x 48 x 4cm deep
Overall dimensions: 74 x 51 x 105cm high



V76 MEDICAL RECORDS TROLLEY

A very compact and easy to manoeuvre trolley.
Two 4cm deep trays.
Four opaque office-type filing bins and lids.
12.5cm diameter chrome plated castors.
Clearance between trays: 37cm
Height from floor to base of top tray: 66cm
Overall dimensions: 89 x 50 x 100cm high

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowli Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au

**V140 SHOWER / TOILET CHAIR**

Stainless steel construction, including 12.5cm diameter stainless steel brake castors. Lockable swing-up arm rests. Soft PVC back rest. Standard plastic toilet seat. Swing-up foot rest. Provision for V141 Bedpan Holder. SWL: 120 kg. (when used on smooth and level floors) Dimensions: 53cm wide x 70cm deep x 99cm high

**V143 SHOWER / TOILET CHAIR**

Stainless steel construction, including 12.5cm diameter stainless steel brake castors. **Swing-up safety arm rests.** Soft PVC back rest. **Soft toilet seat.** Swing-up foot rest. Provision for V141 Bedpan Holder. SWL: 120 kg. (when used on smooth and level floors) Dimensions: 53cm wide x 70cm deep x 99cm high

**V149 POOL / SHOWER CHAIR**

Stainless steel construction, including 12.5cm diameter stainless steel brake castors. Lockable swing-up arm rests. Polypropylene seat. Swing-up foot rest. SWL: 120 kg Dimensions: 53cm wide x 77cm deep x 99cm high

**V150 BARIATRIC SHOWER / TOILET CHAIR**

Stainless steel construction, including 12.5cm diameter stainless steel brake castors. Lockable swing-up arm rests. Soft PVC back rest. Soft, open-fronted, toilet seat. Swing-up foot rest. Provision for V141 Bedpan Holder. SWL: 150 kg. (when used on smooth and level floors) Dimensions: 58cm wide x 70cm deep x 99cm high

V56 URINAL BOTTLE CARRIER



Stainless steel
(Bottle not included)




V141 BEDPAN HOLDER
To suit V140, V143 and V150 chairs.




MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V146 STRAIGHT LEG SUPPORT****V147 ANGLED LEG SUPPORT** (angled 15 degrees down)

The above leg supports are factory fitted options for **V140** and **V143** Shower / Toilet Chairs.

**V55 CRUTCH / UTILITY RACK**

Stainless steel construction. Wall mounting unit.
Eight 27cm long brackets. Backing plate with six bolt holes.
Dimensions: 69cm wide x 18cm high x 27cm deep

**V105 SHOE RACK**


Stainless steel construction. Wall mounting unit.
Holds 6 pairs of shoes. Ideal for change rooms.
Dimensions: 69 x 46cm high

**V278 SHARPS TROLLEY**

(Sharps container not included)
Stainless steel pole / handle with bracket to suit your sharps container.
Very stable weighted base.
Reinforced nylon base with 5cm diameter twin wheel castors.
Dimensions: 60 x 60 x 100cm high

**V201 IV POLE STAND / TROLLEY**

Stainless steel upright. Reinforced nylon base with 5cm diameter twin wheel castors. The stand is suitable for the following IV Poles:
12.7mm - 1/2 inch diameter,
25.4mm - 1 inch square,
31.8mm - 1 1/4 inch diameter
Dimensions: 60 x 60 x 82cm high

**V105.30 MOBILE SHOE RACK**


Stainless steel construction. Holds 30 pairs of shoes. 10cm diameter castors.
Dimensions: 75 x 53 x 173cm high

**V210 EXAMINATION LIGHT**

Spring balanced arms.
114cm reach.
18 watt fluorescent lamp.
Mobile stainless steel base.

**V220 MAGNIFIER LIGHT**

3 diopter bi-convex precision ground lens. 22 watt circular fluorescent tube.
Spring balanced arms, 114cm reach. Mobile stainless steel base.

**V230 MINOR SURGERY LIGHT**

Intense illumination; 25000 lux at 30cm, 13000 lux at 50cm distance. Heat absorbing lens in front of 50W / 12V halogen lamp. Built-in 12 volt transformer. Spring balanced arms. 104cm reach. Mobile stainless steel base.

**V200 MOBILE BASE**

Stainless steel tubes.
Weighted legs and 5cm twin wheel castors. 12.7mm diameter nylon bush at top of upright tube.
Height: 85cm

All the above stainless steel bases are supplied as FLAT PACKS for cost effective shipping and are easy to assemble

**V19 DRESSING TROLLEY**

Stainless steel construction.
12cm high drawer. 34cm clearance between drawer and lower shelf.
7.5cm diameter twin-wheel nylon castors
Nominal Dimensions: 50 x 50 x 86cm high

**V41 SURGERY DRESSING TROLLEY**

Stainless steel construction. Two 12cm high drawers. 34cm clearance between drawers and lower shelf.
7.5cm diameter twin-wheel nylon castors
Nominal Dimensions: 75 x 50 x 86cm high

**V71 MAYO INSTRUMENT TABLE**

Welded stainless steel construction.
Height adjustment from 82 to 117 cm.
Removable tray, 56 x 41 x 2cm deep.
7.5cm diameter twin-wheel nylon castors

V802 DRAWER DIVIDER

Light grey powder coated, to suit the above V19 trolley

V801 DRAWER DIVIDER


Light grey powder coated, to suit the above V41 trolley




MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966



V430 EXAMINATION COUCH
Welded stainless steel frame.
Adjustable head section.
Upholstered with 5cm thick foam,
covered in light grey washable vinyl.
Overall dimensions: 183 x 61 x 80cm high
SWL 150kg



**V432 EXAMINATION COUCH /
MASSAGE TABLE**
"Knock Down" construction.
Assembly requires no tools.
Light grey powder coated steel frame.
Upholstered with 5cm thick foam,
covered in light grey washable vinyl.
Overall dimensions: 183 x 61 x 80cm high
Flat pack dimensions: 188 x 63 x 15cm
SWL 150 kg



V434 EXAMINATION TROLLEY

Electronic height adjustment from 46 to 102cm by means of pneumatic foot control pedals. Stepless adjustable head section. Upholstered with 5cm thick foam, covered in light grey washable vinyl. Welded steel construction. Light grey powder coated finish. 12.5cm diameter, chrome plated castors; two fitted with brakes and two fitted with steering locks.
Nominal dimensions: 184 x 63 x 46/102cm high. SWL 150 kg



V106 FOOTSTEP

Stainless steel frame. Aluminium tread plate top. 25cm high.

Available in the following two sizes:

V106.45 45 x 31 x 25cm high

V106.75 75 x 31 x 25cm high



V107 FOOTSTEP

Stainless steel frame.

Aluminium tread plate top, 25cm high.

Dimensions: 45 x 31 x 100cm high



V108 DOUBLE FOOTSTEP

Stainless steel frame with 44 x 27cm aluminium tread plate tops.

Each step 20cm high.

Dimensions: 45 x 52 x 40cm high.

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au



The V315, V316 and V324 Tray Service Trolleys can be manufactured to suit other tray sizes - at no extra cost.

V316 TRAY SERVICE TROLLEY

Heavy duty stainless steel construction. Recessed top tray with open corners for easy cleaning. 13cm tray spacing. Full buffer surround. 20cm diameter zinc plated, ball / roller bearing castors; two fixed and two swivel. Tray capacity: 16 trays 55 x 40cm. Overall dimensions: 106 x 63 x 145cm high

V336 COVER (to suit V316 Trolley)

Made from washable material. Zip-up front.



V324 TRAY SERVICE TROLLEY

Heavy duty stainless steel construction. Recessed top tray with open corners for easy cleaning. 13cm tray spacing. Full buffer surround. 20cm diameter zinc plated, ball / roller bearing castors; two fixed and two swivel. Tray capacity: 24 trays 55 x 40cm. Overall dimensions: 149 x 63 x 145cm high

V334 COVER (to suit V324 Trolley)

Made from washable material. Zip-up front.



V315 TRAY SERVICE TROLLEY

Stainless steel construction. Recessed top tray. 13cm tray spacing. Full buffer surround. 12.5 diameter chrome plated, ball bearing castors. Tray capacity: 8 trays 55 x 40cm. Overall dimensions: 66 x 55 x 136 cm high

V333 COVER (to suit V315 Trolley)

Made from washable material. Zip-up front.



V341 FOOD SERVICE TRAY

Fibreglass with reinforced edges. Dishwasher-proof. Dimensions: 55 x 40 x 2cm deep



V308 SERVICE TROLLEY (illustrated with optional V341 Trays)

Stainless steel construction. Four recessed shelves to securely hold eight 55 x 40cm serving trays. 17cm clearance between shelves. 12.5cm diameter chrome plated, ball bearing castors. Nominal dimensions: 88 x 58 x 90cm high



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V302 CLEARING TROLLEY**

Heavy duty stainless steel construction. Full buffer surround.
Two 86 x 58 x 7cm deep trays. 42cm clearance between trays.
16cm diameter zinc plated, ball / roller bearing castors;
2 fixed and 2 swivel.
Overall dimensions: 106 x 63 x 93cm high

**V303 CLEARING TROLLEY**

Heavy duty stainless steel construction. Full buffer surround.
Three 86 x 58 x 7cm deep trays. 23cm clearance between trays.
16cm diameter zinc plated, ball / roller bearing castors;
2 fixed and 2 swivel.
Overall dimensions: 106 x 63 x 93cm high

**V307 CLEARING TROLLEY**

Heavy duty stainless steel construction. Full buffer surround.
Two 86 x 58 x 7cm deep trays and one 70 x 58 x 7cm deep tray.
23cm clearance between trays. Complete with two scrap
containers and four dishwasher-proof cutlery holders.
16cm diameter zinc plated, ball / roller bearing castors;
2 fixed and 2 swivel.
Overall dimensions: 130 x 64 x 93cm high

**V353 SERVICE / CLEARING TROLLEY**

Stainless steel construction.
Three 86 x 58 x 7cm deep trays.
23cm clearance between trays.
Revolving buffers.
12.5cm diameter chrome plated, ball bearing castors.
Nominal dimensions: 88 x 60 x 90cm high



V360 MULTIPOT TROLLEY

Supplied with two **V364 MULTIPOTS** and fitted with two **V365 BRACKETS**

Welded stainless steel construction. Three recessed shelves with rounded internal corners for easy cleaning.

28cm clearance between shelves. Revolving buffers.

12.5cm diameter chrome plated castors.

Nominal trolley dimensions: 105 x 50 x 90cm high




V364 MULTIPOT

Insulated polyethylene container. 9.5 litre capacity, approximately 50 cups. 23 x 42 x 46cm high



V365 BRACKET

For secure fitting of V364 Multipot to trolleys.



V300 CUTLERY DISPENSER

Supplied with eight dishwasher-proof polypropylene cutlery holders. Stainless steel dispenser.

Dimensions: 54 x 28 x 21cm high



V301 CUTLERY AND TRAY TROLLEY

Supplied with removable **V300 Cutlery Dispenser**
Stainless steel construction.

10cm diameter chrome plated castors;

two fitted with brakes.

Nominal dimensions: 61 x 45 x 101cm high



V320 MOBILE STORAGE RACK

(illustrated with five optional V2/1C cooling racks)

Stainless steel construction. 16 sets of runners, at 7.5cm spacings, provide excellent storage. 12.5cm diameter chrome plated castors.

Nominal dimensions: 59 x 66 x 160cm high

V2/1C COOLING RACK

Stainless steel construction. 2/1 Gastronorm size.

Dimensions: 65 x 53cm



MANUFACTURERS OF STAINLESS STEEL EQUIPMENT SINCE 1966

**V372 MOBILE TABLE**

Stainless steel top and legs. Heavy duty reinforced table top.
12.5cm diameter chrome plated brake castors.

Standard sizes:

V372.100 100 x 75 x 90cm high

V372.150 150 x 75 x 90cm high

V372.200 200 x 75 x 90cm high

**V374 MOBILE TABLE**

Stainless steel legs, top and shelf. Heavy duty reinforced top.
45cm clearance between top and shelf.

12.5cm diameter chrome plated brake castors.

Standard sizes: **V374.100** 100 x 75 x 90cm high

V374.150 150 x 75 x 90cm high

V374.200 200 x 75 x 90cm high

WE ALSO MANUFACTURE TABLES AND SHELVES IN OTHER SIZES

**V370 SHELF**

Stainless steel shelf with 10cm high splash back.

Standard sizes:

V370.100 100 x 35cm, with three brackets

V370.150 150 x 35cm, with four brackets

V370.200 200 x 35cm, with five brackets

**V375 MACHINE STAND / TABLE**

Heavy duty welded stainless steel construction.
Leveling feet.

Standard sizes:

V375.60 60 x 60 x 60cm high

V375.75 75 x 75 x 60cm high

**V106HD PLATFORM**

Heavy duty. Stainless steel,
with aluminium tread plate top.
Size: 60 x 40 x 20cm high
(available in other sizes)

**V376 MOBILE MACHINE TABLE**

Heavy duty welded stainless steel construction.
12.5cm diameter chrome plated, brake castors.

Standard sizes:

V376.60 60 x 60 x 60cm high

V376.75 75 x 75 x 60cm high

K G VOST PTY LTD

ABN 47 000 541 391

3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia

Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au



V460 TRANSPORT TROLLEY (MORTUARY)

Welded stainless steel construction.
Push handle at one end.
12.5cm diameter chrome plated, ball bearing castors, two castors are fitted with steering locks and two with brakes.
Top dimensions: 188 x 59 x 73cm
Dimensions: 197 x 63 x 96cm high

V470 MATTRESS

(to suit V460 Transport trolley)
Fire retardant foam and cover.
Dimensions: 188 x 58 x 8cm thick



V418 CONCEALMENT TROLLEY

Stainless steel construction.
Removable head and foot ends.
Drop-down side rails. Revolving buffers.
16cm diameter zinc plated, ball / roller bearing castors. Two castors fitted with steering locks and two with brakes. Supplied with one **V419 TERYLENE COVER**
Top dimensions: 190 x 59 x 76cm high
Dimensions: 205 x 69 x 111cm high



V465 MORTUARY TABLE

Welded stainless steel construction.
7cm deep table top, sloping 5cm towards drain. 32 x 26 x 15cm deep tray located under drain. 12.5cm diameter chrome plated, ball bearing, brake castors.
Dimensions: 223 x 73 x 93cm high



V467 MORTUARY TRAY

Welded stainless steel construction.
180 x 45 x 2cm deep tray.
Handles at both ends.
Dimensions: 200 x 50 x 3cm high



Medium to heavy duty castors with ball bearing wheels, 45mm long x 19mm (3/4") diameter, solid steel stem cross drilled and threaded M 8.

Cat No DESCRIPTION

- V9075.1** 75mm diameter chrome plated swivel castor
- V9100.1** 100mm diameter chrome plated swivel castor
- V9100.2** 100mm diameter chrome plated swivel castor with brake
- V9125.1** 125mm diameter chrome plated swivel castor
- V9125.2** 125mm diameter chrome plated swivel castor with brake
- V9125.3** 125mm diameter chrome plated swivel castor with directional lock



V9125.1 Castor



V9125.2 Castor

V9125.40 125mm diameter, swivel castor with brake, stainless steel construction

Heavy duty castors with roller bearing wheels, 135mm x 110mm fixing plates.

Cat No DESCRIPTION

- V9160.1** 160mm diameter zinc plated fixed plate castor
- V9160.2** 160mm diameter zinc plated swivel plate castor
- V9160.3** 160mm diameter zinc plated swivel plate castor with brake
- V9160.4** 160mm diameter zinc plated swivel plate castor with directional lock
- V9200.1** 200mm diameter zinc plated fixed plate castor
- V9200.2** 200mm diameter zinc plated swivel plate castor
- V9200.3** 200mm diameter zinc plated swivel plate castor with brake
- V9200.4** 200mm diameter zinc plated swivel plate castor with directional lock



V9200.1 Castor



V9200.2 Castor

Light duty castors and glides.

Cat No DESCRIPTION



V950.1 Castor



V950.11 Castor



V950.6 Castor



V950.8 Castor



V960.10 Glide

- V950.1** 50mm diameter twin wheel castor with 19mm long x 5/16" witworth thread
- V950.11** 50mm diameter twin wheel castor with brake and 19mm long x 5/16" witworth thread
- V950.6** 50mm diameter twin wheel castor with long push-in stem
- V950.8** 50mm diameter twin wheel castor with 11mm diameter x 20mm long push-in stem
- V950.10** 50mm diameter glide with 11mm diameter x 20mm long push-in stem



V905 BUFFER

22mm (7/8") round with 6mm bore
Dark blue plastic
Sold per metre, cut to length



V906 BUFFER

Crescent shape
Fits onto 25.4mm (1") round tube
Dark blue plastic
Sold per metre, cut to length



REVOLVING BUFFERS

110mm diameter. Dark blue plastic.
Available in the following bore sizes:
V901.22 BUFFER, 22mm bore.
V901.25 BUFFER, 25mm bore.
V901.32 BUFFER, 32mm bore.

K G V O S T P T Y L T D

**3 Mundowi Road
Mt Kuring-gai NSW 2080
Australia**

**Tel: 02 9457 9500
Fax: 02 9457 9550
Email: sales@vost.com.au
Web: www.vost.com.au**